# AUTHOR INDEX

## to Volume 136, January–April 1994


Adams, C. C., 833
Aguilera, A., 87
Akashi, H., 927
Albrecht, E. B., 1075
Alexander, L. J., 231
Alschuler, R. A., 247
Amano, T., 145
Aquadro, C. F., 155, 1105
Arber, W., 721
Artavanis-Tsakonas, S., 585
Ayala, F. J., 1329

Bailer, A. J., 403
Bailey, K., 1329
Baillie, D. L., 129
Baker, B. S., 195
Barbazuk, W. B., 129
Baron, A., 1157
Beattie, C. W., 231, 619
Becraft, P. W., 295
Begun, D. J., 155
Belachew, A., 261
Belyaeva, E. S., 1063
Berman, J., 757
Bernstein, M., 1051
Birchler, J. A., 573, 913
Bishop, M. D., 619
Bisson, L. F., 1279
Blot, M., 721
Boeke, J. D., 93, 849
Bomze, H. M., 965, 979
Bonman, J. M., 1421
Botstein, D., 705
Boyer, S. N., 1105
Boyle, A., 247
Broverman, S. A., 119
Büahler, J., 41
Burgess, D., 261
Burgess, D. L., 247
Busseau, I., 585
Byers, B., 449

Cai, H., 1385
Cannon, J. F., 485
Carlier, M., 225
Carlson, J. R., 1087
Carlson, M., 1279
Carson, G. S., 195
Champoux, M. C., 1421
Changjian, J., 383
Charles, T. C., 1233
Chenevert, J., 1287
Cho, S., 333
Chovnick, A., 1013
Clancy, D. J., 993
Clark, D. V., 547
Clark-Maguire, S., 533
Clemons, K. V., 1261
Cline, T. W., 1051
Code, R. J., 747
Collett, M. A., 1307
Coons, D., 1279
Corces, V. G., 173
Cormack, J., 1151
Corredor, V., 857
Csink, A. K., 573
Curcio, M. J., 1245

Das, O. P., 1121
Dash, S., 653
Davis, C. R., 1297
Davis, R. W., 1261
de Celis, J. F., 183
Dean, A. M., 1481
Degrelle, H., 225
DeLotto, R., 1355
DeMarini, D. M., 731
Dexter, D., 505
di Jeso, F., 255
Diederich, R. J., 585
Dietrich, W., 217
Dinman, J. D., 75
Dong, J., 1187
Donnelly, P., 673
Dooner, H. K., 261
Dorland, S., 781
Doshi, P., 209
Doughty, G., 1013
Driever, W., 1401
Duncan, I., 1385
Duttaroy, A., 1013

Ekwall, K., 53
Elsen, J.-M., 1195
Enea, V., 857
Enomoto, S., 757
Erickson, J. R., 1271
Excoffier, L., 343

Fedoroff, N. V., 1
Fiechter, A., 485
Finan, T. M., 1233
Fitch, W. M., 721
Flickinger, T. W., 1075
Forney, J., 1319
Frankham, R., 1039
Franklin, I. R., 1039
Freeling, M., 295
Friedman, D. B., 449
Fries, R., 619
Fry, J. D., 937
Fu, Y.-B., 323
Fu, Y.-X., 685

Ganetzky, B., 1087
Garcia-Bellido, A., 183
Garfinkel, D. J., 1245
Garrett, S., 465
Gerardi, A., 255
Gholizadeh, G., 247
Gileski, A. Z., 747
Giordano, H., 1355
Godwin, A. R., 607
Golin, J., 505
Gordon, C. L., 427
Grafodatskaya, V. E., 1063
Grimm, C., 41
Grosz, M. D., 619
Guarente, L., 813

Haas-Dupertuis, M.-C., 225
Haber, J. E., 789
Haley, C. S., 1195
Hamer, J. E., 517
Harding, S., 261
Harkness, T. A. A., 107
Harris, S. D., 517
Hartley, A. D., 465
Hawkins, G. A., 619
Hayashi, T., 693
Henikoff, S., 559
Henry, S. A., 475
Herskowitz, I., 1287
Hiebert, J. C., 913
Hoffman, A. A., 993
Hoffman, R., 867
Hollingsworth, N. M., 449
Hollocher, H., 1373
Hudak, K. A., 475
Hudson, R. R., 1329
Hugall, A., 903

Ishihara, T., 145

James, M. G., 281
Jang, W., 247
Jansen, R. C., 1447
Johnsen, R. C., 129
Johnston, M., 1271
Jones, M. E., 1209

Kappes, S. M., 619
Kassis, J. A., 1025
Katsura, I., 145
Kawakami, M., 145

Keele, J. W., 231, 619
Keeney, J. B., 849
Kempainen, R. R., 1297
Keng, T., 819
Kennedy, M. A., 439
Kesseli, R. V., 1435
Khalil, M., 485
Kiefel, P., 1385
Kim, C. S., 1325
King, J., 427
Kohli, J., 41
Kohrman, D., 247
Kokoza, E. B., 1063
Kondo, K., 145
Kondrashov, A. S., 1469
Kott, S. A., 1195
Kozlova, T. Y., 1063
Kreber, R., 1087
Krug, P. J., 747
Kurkulos, M., 1001
Kwiatowski, J., 1329

Lander, E. S., 705
Lankenau, D.-H., 173
Lathrop, G. M., 1217
LeCiel, C. D. S., 559
Lederberg, J., 423
Lee, A., 789
Lehmann, R., 1341
Leuchtmann, A., 1307
Levine, J. G., 731
Lill, R., 107
Lilly, M., 1087
Lin, Y., 769
Linsk, R., 573
Liskay, R. M., 607
Longtine, M. S., 757
Lopes, J. M., 475
López, A. J., 965, 979
Louis, E. J., 789
Lucchesi, J. C., 707
Lunz, R. L., 833
Lyman, R. F., 937

Mackay, T. F. C., 937
Mackill, D. J., 1421
Maddock, J. R., 833
Maguire, M. P., 1143
Mains, P. E., 533
Malone, E. A., 879
Marjoram, P., 673
Martienssen, R., 1157
Matic, I., 17
McCarron, M., 1013
McClung, C. R., 1297
McCouch, S. R., 1421
McCusker, J. H., 1261
Meagher, T. R., 313
Meisler, M. H., 247
Meneely, P. M., 119
Merton, E., 993
Messing, J., 1121
Metallinos, D. L., 217
Metzenberg, R. L., 107
Michelmore, R. W., 1435
Michels, C. A., 803
Minghong, G., 383
Mitchell, H. K., 173
Mittendorf, E., 1075
Miyazaki, W. Y., 953
Moore, D. P., 953
Moritz, C., 903
Morrell, J. L., 517
Mount, S. M., 1001
Moutier, R., 225
Moye-Rowley, W. S., 505
Myers, A. M., 281

Naas, T., 721
Nachman, M. W., 1105
Nagylaki, T., 361
Nargang, F. E., 107
Natsoulis, G., 93
Naumov, G., 789
Naumov, G. I., 803
Naumova, E. S., 789, 803
Nelson, R. J., 1421
Neupert, W., 107
Nuzhdin, S. V., 937

Oppenheimer, A. J., 217
Oresnik, I. J., 1233
Orr, H. A., 1475
Orr-Weaver, T. L., 953
Ott, J., 1217
Otto, S. P., 1475

Palopoli, M. F., 209
Paran, I., 1435
Parker, S., 867
Pelegri, F., 1341
Pellicena-Palle, A., 1075
Pesole, G., 255
Peterson, N. S., 173
Peterson, P. A., 653, 1151
Petschek, J. P., 1075
Phillips, J., 225
Piegorsch, W. W., 403
Pirrotta, V., 1063
Polisky, B., 1325
Preer, J. R., Jr., 1325
Pringle, J. R., 485
Pultz, M. A., 195

Radman, M., 17
Ralston, E., 261
Ralston, M., 261
Rayssiguier, C., 17
Rinchik, E. M., 217
Ripley, L. S., 709
Ritland, K., 323
Robertson, D. S., 281, 1143
Rockmill, B., 65
Roeder, G. S., 65
Roff, D. A., 395
Rogers, A., 1209
Rohrer, G. A., 231
Roth, J. R., 27
Roubertoux, P. L., 225
Roy, D., 1001
Rumball, W., 1039
Russell, L. B., 217
Ruusala, T., 53

Saccone, C., 255
Salz, H. K., 1075
Samuelson, L. C., 247
Scanlon, M. J., 281
Schaaper, R. M., 731
Schaeffer, S. W., 1367
Schardl, C. L., 1307
Schier, A. F., 1401
Schmid, M. B., 747
Schnable, P. S., 1171
Schneider, H., 107
Scott, D. B., 1307
Scott, J., 1319
Searle, J. B., 1105
Segall, A. M., 27
Semeshin, V. F., 1063
Sheldon, B. L., 1039
Shi, L., 867
Skarecky, D., 1329
Smith, C., 1355
Smith, G. R., 769
Smith, T. P., 231
Smouse, P. E., 313, 343
Sofer, W., 417
Solnica-Kretzel, L., 1401
Srodes, M. S., 1297
Stam, P., 1447
Stanton, J., 903
Stephan, W., 333
Stevens, D. A., 1261
Stillman, D. J., 781
Stinard, P. S., 281, 1143
Stone, R. T., 619
Subramaniam, V., 979
Sunden, S. L. F., 619

Talbert, P. B., 559
Taylor, D. R., 641
Templeton, A. R., 1373
Tessman, I., 439
Thomas, J. H., 879
Thomas, S. M., 1209
Tilghman, S. M., 217
Ting, C.-N., 247

Toldo, S. S., 619
Tomkiel, J. E., 953
Tompkins, L., 417
Torjussen, A., 747
Traut, W., 1097
Tretyakova, I. V., 1063
Tsai, H.-F., 1307

Ukai, Y., 693
Ushinsky, S. C., 819

Vallier, L. G., 1279
Valtz, N., 1287
VanWinkle-Swift, K., 867
Villeneuve, A. M., 887

Wagner, D. B., 1187
Waldman, A. S., 597
Walthour, C. S., 1367
Wang, F. J., 709
Wang, G.-L., 1421
Ward, M. P., 465
Watt, D. M., 1307
Watt, W. B., 11
Weeks, D. E., 1217
Weidenhammer, E. M., 833
Weinberg, J. M., 1001
Weir, J. A., 1227
Wickner, R. B., 75
Winston, F., 93
Wise, R. P., 1171
Wolstenholme, D. R., 903
Woolford, J. L., Jr., 833
Wu, A.-L., 505
Wu, C.-I., 209

Xu, T., 585
Xuebiao, P., 383

Yee, J., 1385
Yoo, J., 619
You, Y., 1319
Young, P., 173
Yu, Y., 781

Zeng, Z.-B., 1457
Zhang, L., 813
Zhimulev, I. F., 1063

# SUBJECT INDEX

## to Volume 136, January–April 1994


Adaptation, rate of, diploidy, 1480
Agriculture, Harvard and the Bussey Institution, 1227
Alfalfa, suppression of Fix⁻ phenotype of *Rhizobium meliloti ndvF* mutations, second site mutations, 1233
Allele
  *bz-m2(AC)*, distribution of unlinked receptor sites, *Ac* elements, 261
  frequencies and geographic subdivision, molecular variance parsimony, 343
  *HAP1*, uninducible expression of *HEM13*, yeast, 819
  heritable transposon-induced mutant, *rf2* nuclear restorer, T-cytoplasm maize, 1171
  maize, epimutation, variegated phenotype and developmental methylation changes, 1121
  mating-type limited zygotic lethal, suppressor, *Chlamydomonas monoica*, 867
  *sin3*, pleiotropic biosynthetic regulatory mutation, yeast, 475
Allozymes
  evolutionary genetics, 11
  partial dominance of viability genes, inbreeding depression, *Mimulus guttatus*, 323
4-Aminobiphenyl-induced mutation spectra, frameshift mutations mediated by pKM101, *Salmonella typhimurium*, 731
Apolipoproteins, peculiar evolution, human and monkey, 255
*Aspergillus nidulans*, 517
ATPases, *mei-1* gene, *Caenorhabditis elegans*, 533

Bacteria, approaches to half-tetrad analysis, recombination, repeated inverse-order chromosomal sequences, 27
Bacteriophage P22, temperature-sensitive folding mutants, coat protein, 427
Behavior, co-segregation of intermale aggression, pseudoautosomal region of *Y* chromosome, mouse, 225
Blast, resistance in rice cultivar, genes, RFLP mapping, 1421
Bristle
  development in *Drosophila melanogaster*, *forked* proteins, 173
  polygenic mutation, response to selection of inbred strains, *Drosophila melanogaster*, 937
Bussey Institution, Harvard and agriculture, 1227

*Caenorhabditis elegans*, 129, 145, 533, 879, 887
Cattle, genetic linkage map, 619
Centromere, region of right arm of linkage group III, physical and genetic maps, *Neurospora crassa*, 1297
*Chamaelirium luteum*, male reproductive contributions, 313
Chiasma, detection of genetic interference, simulation studies, mouse data, 1217
*Chlamydomonas monoica*, suppression of uniparental chloroplast gene transmission, suppressor, mating-type limited zygotic lethal allele, 867
Chloroplast
  paternally inherited polymorphism, *Pinus contorta*, 1187
  uniparental gene transmission suppression, suppressor of mating-type limited zygotic lethal allele, *Chlamydomonas monoica*, 867
Chromatin, role of polycomb group genes, regulation of gap gene expression, *Drosophila*, 1341
Chromosome *9*, short arm, genetic evidence of *Mutator*-induced deletions, maize, 1143
Chromosome *14*, fine structure mapping and deletion analysis, *piebald* locus, mouse, 217
Chromosome *18*, mouse, insertional mutation, vestibular and craniofacial abnormalities, 247
Chromosomes
  artificial clone map of yeast, *Drosophila* genome, 1385
  end in yeast, mosaic nature, influence on recombinatorial dynamics, 789
  mammalian intrachromsomal recombination, effects of insertions, 607
  mechanics, Sturtevant's mantle, 707
  meiotic segregation, mutation *Double or nothing*, *Drosophila*, 953
  repeated inverse-order sequences, approaches, half-tetrad analysis in bacteria, 27
  replication in maize, frequent loss, *En* transposable element, 653
  Robertsonian races, evolution of, mitochondrial DNA variation, 1105
  *Segregation distorter* revertants, tandem duplication, *Drosophila melanogaster*, 209
  sex determination, *Megaselia scalaris*, 1097
  sister chromatid separation, meiotic homolog nondisjunction, yeast *med1* mutant, 65
Chromosome *X*
  *cis*-acting locus that promotes crossing over, *Caenorhabditis elegans*, 887
  *Drosophila melanogaster* polytene, 10A1-2 band and adjoining region, 1063
  effects of *maleless* mutation, autosomal gene expression, *Drosophila melanogaster*, 913
  polar decrease in recombination, meiotic mutants, *Caenorhabditis elegans*, 119
  *Sex-lethal* mutations, differential effects, dosage

compensation early in *Drosophila* development, 1051
Chromosome *Y*
non-neutrality, molecular through ecological genetics, *abnormal abdomen* in *Drosophila mercatorum*, 1373
pseudoautosomal region, co-segregation of intermale aggression, mouse, 225
Coat protein, temperature-sensitive folding mutants, phage P22, 427
Codon, synonymous usage, natural selection and translational accuracy, *Drosophila melanogaster*, 927
Cytokinesis, defects, *Aspergillus nidulans* mutants, 517
Cytoplasm
basic protein, *deltex*, *Drosophila*, 585
incompatibility in Australian populations, *Drosophila melanogaster*, 993
Texas, *rf2* nuclear restorer, recovery of alleles in maize, 1171
Deletions
*Mutator*-induced, genetic evidence; short arm of chromosome 9 of maize, 1143
*P* element-mediated *in vivo* deletion analysis, *white-apricot*, *Drosophila*, 1001
Disequilibrium, paternally inherited chloroplast polymorphism, *Pinus contorta*, 1187
DNA
10A1-2 band and adjoining region, *Drosophila melanogaster* polytene *X* chromosome, 1063
frameshift mutations mediated by pK101, 4-aminobiphenyl-induced mutation spectra, *Salmonella typhimurium*, 731
macronuclear sequences, permanent rescue of non-Mendelian mutation, *Paramecium tetraurelia*, 1319
mitochondrial, pairwise comparisons, subdivided populations and early human evolution, 673
regulatory, *Drosophila engrailed* gene, 1025
segments, rescue of non-Mendelian mutant, *Paramecium tetraurelia*, 1325
sequence effects on single base deletions, DNA polymerization, *E. coli* Klenow fragment polymerase, 709
tandem-repetitive noncoding, formation of, role of natural selection, 333
transformation of genetics, anniversary celebration, Avery/MacLeod/McCarty, 423
variation at 6-phosphogluconate dehydrogenase locus, evolutionary inferences, natural populations of *Drosophila*, 155
DNA, mitochondrial
low but strongly structured, diversity, root knot nematodes, 903
variation, evolution of Robertsonian chromosomal races, *Mus domesticus*, 1105
DNA, ribosomal, non-neutrality of chromosome *Y*, molecular through ecological genetics, *abnormal abdomen* in *Drosophila mercatorum*, 1373
DNA polymerase II, bypass of abasic sites *in vivo*, *Escherichia coli*, 439
*Drosophila*, 417, 547, 585, 1001, 1013, 1025, 1051, 1075, 1087, 1341, 1385
*Drosophila melanogaster*, 155, 173, 183, 195, 209, 559, 573, 913, 927, 937, 953, 965, 979, 993, 1039, 1063, 1329, 1355, 1367
*Drosophila mercatorum*, 1373
*Drosophila simulans*, 155
Drug resistance, yeast *PDR3/PDR4/PDR7/PDR9*, mutations, transcript level of *PDR5*, 505
Education, genetics in the classroom, *Drosophila*, 417
Elements
*Ac*, distribution of unlinked receptor sites, *bz-m2(AC)* allele in maize, 261
*Ty1*, abundance, yeast genome, 1245
Environments
prediction of genetic correlation, evolution, dimorphic traits, 395
temporally variable, fitness, flux and phantoms, 1481
Enzyme, *de novo* purine biosynthesis, *Prat*, *Drosophila*, 547
*Epichloë typhina*, origin of fungal symbiont, perennial ryegrass, interspecific hybridization, 1307
Epistasis
fluoride-resistant mutants, *Caenorhabditis elegans*, 145
selection, Muller's ratchet, 1469
suppressor mutations that allow *HO* expression, absence, yeast *SWI5* transcriptional activator, 781
*Escherichia coli*, 17, 439, 709, 721
Ethanol, formamide sensitivity, conditional phenotype, yeast, 87
*N*-Ethyl-*N*-nitrosourea, -induced mutations, efficient recovery, zebrafish germline, 1401
Evolution
conservation of structure and expression, alternatively spliced *Ultrabithorax*, 965
dimorphic traits, prediction of genetic correlation, between environments, 395
diploidy, rate of adaptation, 1480
early human, subdivivded populations, pairwise comparisons of mitochondrial DNA sequences, 673
genetic characterization, pathogenetic yeast isolates, 1261
genetics, 11
genetic variation of repeated *MAL* loci, natural populations, yeast and *Saccharomyces paradoxus*, 803
inferences from DNA variation, 6-phosphogluconate dehydrogenase locus, *Drosophila*, 155
peculiar, apolipoproteins, human and monkey, 255
Robertsonian chromosomal races of *Mus domesticus*,

mitochondrial DNA variation, 1105
temporally variable environment, fitness, flux and phantoms, 1481
Fiber, bundles in developing bristles, *forked* proteins, *Drosophila melanogaster*, 173
Fitness, flux and phantoms, temporally variable environment, 1481
Fluctuation, Luria-Delbrück, experiments, design and analysis, 1209
Fluoride, -resistant mutants, *Caenorhabditis elegans*, 145
Formamide, sensitivity, conditional phenotype in yeast, 87
Frameshifting, altered -1 ribosomal efficiencies, translational maintenance of frame, yeast, 75
Fungi, origin of fungal symbiont, perennial ryegrass, pathogen *Epichloë typhina*, 1307
Gene
10A1-2 band and adjoining region, *Drosophila melanogaster* polytene *X* chromosome, 1063
*ade6*, *M26* recombinational hotspot, *Schizosaccharomyces pombe*, 41
alternatively spliced *Ultrabithorax* isoforms, evolutionary conservation, *Drosophila*, 965
autosomal, *maleless* mutation effects on *X*, *Drosophila melanogaster*, 913
characterization, pathogenetic yeast isolates, 1261
*clr2/clr3/clr4*, derepression of silent mating-type loci, fission yeast, 53
conferring resistance to blast, RFLP mapping, rice cultivar, 1421
*Daf-c*, nonconditional Dauer-constitutive mutations, *Caenorhabditis elegans*, 879
*engrailed*, regulatory DNA, *Drosophila*, 1025
glucose repression, suppressors reveal two classes, yeast, 1271
*hermaphrodite*, *Drosophila melanogaster*, 195
*HO*, suppressor mutations, absence of yeast *SWI5* activator, 781
*HOP1*, insertional mutations, multimeric assembly in meiosis in yeast, 449
inactivation, mitochondrial protein import receptor MOM19, technique of "sheltered RIP", 107
insertion sequence-related variation, resting *E. coli* K-12, 721
interference, detection, simulation studies and mouse data, 1217
*Leu1-32* and *ura4-294*, efficient targeted integration, *Schizosaccharomyces pombe*, 849
major, use of mixture models, quantitative characters in plant breeding experiment, 383
marker loss induced by *En*, maize, 1151
*mei-1*, family of ATPases, *Caenorhabditis elegans*, 533
*Mosaic suppressor*, modification of retrotransposon expression, interaction with *zeste* in *Drosophila melanogaster*, 573
*Notch*, modifications of function, *Abruptex* mutations in *Drosophila melanogaster*, 183
polycomb group, regulation of gap gene expression, *Drosophila*, 1341
*Prat*, first enzyme of *de novo* purine biosynthesis, *Drosophila*, 547
*PRP*, extragenic suppressors, yeast, 833
*rec6* and *rec12*, meiosis-induced expression, *Schizosaccharomyces pombe*, 769
requirement, pheromone-induced cell polarization, yeast, 1287
*rik1*, derepression of silent mating-type loci, fission yeast, 53
*rol-3*(V), suppressors and lethal mutations, *Caenorhabditis elegans*, 129
*SIR2/SIR3/SIR4/ABF1*, telomere-plasmid segregation, X-telomere associated sequence in yeast, 757
small ribosomal subunit RNA isoforms, *Plasmodium cynomolgi*, 857
*smellblind*, sodium channel mutation, *Drosophila* olfactory mutant, 1087
*SPT10* and *SPT21*, yeast, 93
*transformer*, molecular population genetics, sex determination genes, 1367
*TUP1/SSN6*, positive effect on activity, yeast activator HAP1, 813
*Ultrabithorax*, protein isoforms and functional differences, *Drosophila melanogaster*, 979
variation of repeated *MAL* loci, natural populations, yeast and *Saccharomyces paradoxus*, 803
viability, partial dominance, inbreeding depression of *Mimulus guttatus*, 323
*zeste*, retrotransposon modification by *Mosaic suppressor*, *Drosophila melanogaster*, 573
Genetics, in the classroom, *Drosophila*, 417
Genome
pig, microsatellite linkage map, 231
yeast, abundance, heterogeneous Ty*1* elements, 1245
Germline, zebrafish, efficient recovery, ENU-induced mutations, 1401
Glucose
repression genes, suppressors reveal two classes, yeast, 1271
transport defect, altered regulatory responses, *grr1* mutants of yeast, 1279
Glycogen, -deficient *glc* mutants, yeast, 485
Harvard University, agriculture and the Bussey Institution, 1227
Heme, uninducible expression of *HEM13*, allele of *HAP1*, yeast, 819
Heterochromatin, *brown*$^{Dominant}$, linkage alterations, *Drosophila melanogaster*, 559
Heterozygosity, decline, full-sib and double first-cousin inbreeding, *Drosophila melanogaster*, 1039
Homeobox, *Rough sheath1* developmental mutants,

genetic analysis, maize, 295
Homology, search for, extrachromosomal homologous recombination, mammalian cells, 597
Human, monkey and, peculiar evolution, apolipoproteins, 255

Inbreeding, decline in heterozygosity, full-sib and double first-cousin, *Drosophila melanogaster*, 1039
*In memoriam*, Barbara McClintock, 1
Insertion sequences, -related genetic variation, resting *E. coli* K-12, 721
Inversions, large Tn*10*-catalyzed, endpoint bias, *Salmonella typhimurium*, 747

Klenow fragment, *E. coli* polymerase, DNA polymerization, DNA sequence effects on single base deletions, 709

*Latuca sativa*, 1435
Leaf, *Rough sheath1* developmental mutants, genetic analysis, maize, 295
Lettuce, detailed genetic linkage map, RFLP and RAPD markers, 1435
Likelihood analysis, male reproductive contributions, *Chamaelirium luteum*, 313
Linkage
  alterations, heterochromatic *brown*$^{Dominant}$, *Drosophila melanogaster*, 559
  map
    cattle, 619
    microsatellite, porcine genome, 231
  partial dominance of viability genes, inbreeding depression, *Mimulus guttatus*, 323
Linkage group III, centromeric region of right arm, physical and genetic maps, *Neurospora crassa*, 1297
Locus
  *cis*-acting, crossing over between *X* chromosomes, *Caenorhabditis elegans*, 887
  *deltex*, cytoplasmic basic protein, *Drosophila*, 585
  derepression of silent mating-type, mutations in *rik1/clr2/clr3/clr4*, fission yeast, 53
  detection of genetic interference, simulation studies, mouse data, 1217
  *Drosophila* maternal effect locus *deadhead*, thioredoxin homolog, female meiosis and early embryonic development, 1075
  *leu1-32* and *ura4-294*, efficient targeted integration, *Schizosaccharomyces pombe*, 849
  *MAL*, genetic variation in natural populations, yeast and *Sachcaromyces paradoxus*, 803
  mapping quantitative trait loci, crosses between outbred lines, least squares, 1195
  maternal effect *deadhead*, thioredoxin homolog, female meiosis and early embryonic development in *Drosophila*, 1075
  *PDR3/PDR4/PDR7/PDR9* pleiotropic drug resistance, mutations, transcript level of *PDR5*, 505
  *piebald*, fine structure mapping and deletion analysis, mouse, 217
  quantitative trait loci
    high resolution, multiple loci via interval mapping, 1447
    precision mapping, 1457
  *Sod*, positive selection, *Drosophila melanogaster*, 1329

Maize
  allele originating from epimutation, variegated phenotype, developmental methylation changes, 1121
  chromosome replication, frequent loss, *En* transposable element, 653
  distribution of unlinked receptor sites, *bz-m2(AC)*, 261
  gene marker loss, induction by *En*, 1151
  kernel development from *Mutator* stocks, genetic analysis, 63 mutations, 281
  *rf2* nuclear restorer of T-cytoplasm, recovery, heritable transposon-induced mutant alleles, 1171
  Robertson's *Mutator* transposons, coordinate suppression, mutations, 1157
  *Rough sheath1* developmental mutants, 2295
  short arm of chromosome 9, genetic evidence, *Mutator*-induced deletions, 1143
Mammalian cells, extrachromosomal homologous recombination, search for homology, 597
Mapping
  detailed genetic linkage, RFLP and RAPD markers, lettuce, 1435
  fine structure, deletion analysis of *piebald* locus, mouse, 217
  genetic linkage, cattle, 619
  interval, high resolution of QTL, multiple loci, 1447
  microsatellite linkage, porcine genome, 231
  physical and genetic, centromeric region of right arm, linkage group III of *Neurospora crassa*, 1297
  precision, quantitative trait loci, 1457
  RFLP, genes conferring resistance to blast, rice cultivar, 1421
  yeast artificial chromosome clone, *Drosophila* genome, 1385
Mating
  gene requirement, pheromone-induced cell polarization, yeast, 1287
  -type limited zygotic lethal allele, suppressors, *Chlamydomans monoica*, 867
  -type loci in fission yeast, derepression, mutations in *rik1/clr2/clr3/clr4*, 53
McClintock, Barbara, *in memoriam*, 1
*Medicago sativa*, 1233
*Megaselia scalaris*, sex determination, primary steps, sex chromosome evolution, 1097
Meiosis
  female, thioredoxin homolog, *Drosophila* maternal

effect locus *deadhead*, 1075
homolog nondisjunction and sister chromatid separation, yeast *mad1* mutant, 65
-induced expression of *rec6* and *rec12* gene, *Schizosaccharomyces pombe*, 769
multimeric assembly, insertional mutations, yeast *HOP1* gene, 449
mutants, polar decrease in recombination, *X* chromosome in *Caenorhabditis elegans*, 119
mutation *Double or nothing*, chromosome segregation, *Drosophila*, 953
Meiotic drive, *Segregation distorter* revertants, tandem duplication, *Drosophila melanogaster*, 209
*Meloidogyne*, low but strongly structured mitochondrial DNA diversity, 903
Methylation, developmental changes, variegated phenotype, maize allele originating from epimutation, 1121
Microsatellite, linkage map of porcine genome, 231
Migration, geographical variation, quantitative character, 361
*Mimulus guttatus*, inbreeding depression, partial dominance, viability genes, 323
Mismatch, repair, recombinants from conjugational crosses, *E. coli* and *S. typhimurium*, 17
Mitochondria
paternally inherited chloroplast polymorphism, *Pinus contorta*, 1187
protein import receptor MOM19, "sheltered RIP", inactivation of *Neurospora crassa* gene, 107
Monkey, human and, peculiar evolution, apolipoproteins, 255
Mouse
chromosome 18, insertional mutation, vestibular and craniofacial abnormalities, 247
co-segregation of intermale aggression, pseudoautosomal region, *Y* chromosome, 225
data, simulation studies, detection of genetic interference, 1217
*piebald* locus, fine structure mapping, deletion analysis, 217
Robertsonian chromosomal races, evolution of, mitochondrial DNA variation, 1105
Muller's ratchet, epistatic selection, 1469
Mutagenesis, DNA sequence effects on single base deletions, DNA polymerase, *E. coli* Klenow fragment polymerase, 709
Mutants
*Aspergillus nidulans*, defects, cytokinesis, 517
developmental, *Rough sheath1*, maize, 295
fluoride-resistant, epistasis, *Caenorhabditis elegans*, 145
glycogen-deficient *glc*, yeast, 485
*grr1*, glucose transport defect, yeast, 1279
temperature-sensitive folding, coat protein, phage P22, 427
Mutations
*Abruptex*, modifications of Notch function, *Drosophila melanogaster*, 183
conditional phenotype in yeast, formamide sensitivity, 87
coordinate suppression, Robertson's *Mutator* transposons, maize, 1157
*Double or nothing*, meiotic chromosome segregation, *Drosophila*, 953
*Drosophila snake* protease, domains within proenzyme polypeptide chain, 1355
ENU-induced, efficient recovery, zebrafish germline, 1401
frameshift, mediation by plasmid pKM101, *Salmonella typhimurium*, 731
heterochromatic *brown*$^{Dominant}$, linkage alterations, *Drosophila melanogaster*, 559
insertional
mouse chromosome 18, vestibular and craniofacial abnormalities, 247
yeast *HOP1* gene, multimeric assembly in meiosis, 449
insertions, mammalian intrachromosomal recombination, 607
lethal, generation of suppressors, *Caenorhabditis elegans rol-3*(V) gene, 129
Luria-Delbrück, fluctuation experiments, design and analysis, 1209
*maleless*, *X* and autosomal gene expression, *Drosophila melanogaster*, 913
maize allele originating from epimutation, variegated phenotype, developmental methylation changes, 1121
nonconditional Dauer-constitutive, *Caenorhabditis elegans*, 879
non-Mendelian
macronuclear DNA sequences, *Paramecium tetraurelia*, 1319
rescue by DNA segments, *Paramecium tetraurelia*, 1325
pleiotropic phospholipid biosynthetic regulatory, allelic to *sin3*, yeast, 475
polygenic, response to selection of inbred strains, *Drosophila melanogaster*, 937
*prp4*, extragenic suppressors, yeast, 833
rate, phylogenetic estimator, effective population size, 685
rate of adaptation, diploidy, 1480
repeat-induced point, sheltered, inactivation of *Neurospora crassa* gene, 107
second site, suppression of Fix$^-$ phenotype of *Rhizobium meliloti ndvF* mutations, alfalfa, 1233
*Sex-lethal*, differential effects, dosage compensation early in *Drosophila* development, 1051
sixty-three, maize kernel development, *Mutator* stocks, 281
sodium channel, *Drosophila* olfactory mutant *smellblind*, 1087
spectra, statistical approaches, categorical data, 403
uninducible expression of *HEM13*, allele of *HAP1*,

yeast, 819
Nematodes, root knot, low but strongly structured mitochondrial DNA diversity, 903
Neural crest, fine structure mapping and deletion analysis, *piebald* locus, mouse, 217
*Neurospora crassa*, 107, 1297
Nondisjunction, homolog, sister chromatid separation, yeast *med1* mutant, 65
Olfaction, mutant *smellblind*, sodium channel mutation, *Drosophila*, 1087
*Paramecium tetraurelia*
permanent rescue of non-Mendelian mutation, macronuclear DNA sequences, 1319
rescue of non-Mendelian mutant, DNA segments, 1325
Paternity, male reproductive contributions, *Chamaelirium luteum*, 313
*P* element
*Drosophila* transposase, induction of male recombination additively, 1013
-mediated *in vivo* deletion analysis, *white-apricot*, *Drosophila*, 1001
Peripheral nervous system, Ultrabithorax protein isoforms, *Drosophila melanogaster*, 979
Pheromone, -induced cell polarization, gene requirement, yeast, 1287
6-Phosphogluconate dehydrogenase, DNA variation at locus, evolutional inferences, natural populations of *Drosophila*, 155
Phylogenies
allele frequencies and geographic subdivision, molecular variance parsimony, 343
estimator of effective population size, mutation rate, 685
*Pinus contorta*, paternally inherited chloroplast polymorphism, 1187
Plants, breeding experiments, use of mixture models, effects of major genes, 383
Plasmids
efficient targeted integration, *leu1-32* and *ura4-294*, *Schizosaccharomyces pombe*, 849
pKM101, complex frameshift mutations, *Salmonella typhimurium*, 731
-telomere segregation by X-telomere associated sequence, yeast, 757
*Plasmodium cynomolgi*, small ribosomal subunit RNA isoforms, 857
Pollen, T-cytoplasm maize, *rf2* nuclear restorer, heritable transposon-induced mutant alleles, 1171
Polymorphism
non-neutrality of chromosome *Y*, molecular through ecological genetics, *abnormal abdomen* in *Drosophila mercatorum*, 1373
restriction fragment length and RAPD
detailed genetic linkage map, lettuce, 1435
mapping, genes conferring resistance to blast in rice cultivar, 1421
Population
Australian, cytoplasmic incompatibility, *Drosophila melanogaster*, 993
effective size, phylogenetic estimator, mutation rate, 685
molecular genetics, sex determination genes, *transformer* gene of *Drosphila melanogaster*, 1367
natural
DNA variation of 6-phosphogluconate dehydrogenase locus, evolutionary inferences in *Drosophila*, 155
genetic variation of repeated *MAL* loci, yeast and *Saccharomyces paradoxus*, 803
self-fertilizing, change, genetic variance under selection, 693
subdivided, early human evolution, pairwise comparisons of mitochondrial DNA sequences, 673
Protease, *snake*, domains within proenzyme polypeptide chain, *Drosophila*, 1355
Protein kinase, YAK1, moderation of thermotolerance, growth inhibition, 465
Proteins
*forked*, components of fiber bundles, developing bristles of *Drosophila melanogaster*, 173
Sch9, Yak1 protein kinase, thermotolerance in yeast, 465
Purine, *de novo* biosynthesis, encoding of first enzyme by *Prat*, *Drosophila*, 547
Rearrangement, insertion sequence-related genetic variation, resting *E. coli* K-12, 721
Recombination
conjugational crosses, *Escherichia coli*, *Salmonella typhimurium*, 17
dynamics, mosaic nature, chromosome end in yeast, 789
extrachromosomal homologous, search for homology, mammalian cells, 597
male, induction, *Drosophila P* element transposase, 1013
mammalian intrachromosomal, effects of insertions, 607
*M26* hotspot and physical conversion tract analysis, *ade6* gene, 41
polar decrease caused by meiotic mutants, *X* chromosome, *Caenorhabditis elegans*, 119
repeated inverse-order chromosomal sequences, approaches, half-tetrad analysis in bacteria, 27
Reproduction, male reproductive contributions, *Chamaelirium luteum*, 313
Retrotransposon, modification of expression by *Mosaic suppressor*, interaction with *zeste*, *Drosophila melanogaster*, 573
Revertants, *Segregation distorter*, tandem duplication, *Drosophila melanogaster*, 209
*Rhizobium meliloti*, Fix$^-$ phenotype of *ndvF* mutations, suppression by second site mutations, alfalfa, 1233

Ribosomes, frameshifting efficiences, translational maintenance of frame, yeast, 75
Rice, genes conferring resistance to blast, RFLP mapping, 1421
RNA, small ribosomal subunit isoforms, *Plasmodium cynomolgi*, 857
RNA, messenger, Ultrabithorax protein isoforms, *Drosophila melanogaster*, 979
Ryegrass, choke pathogen *Epichloë typhina*, origin of fungal symbiont, interspecific hybridization, 1307

*Saccharomyces cerevisiae*, 75, 93, 449, 465, 475, 485, 505, 757, 781, 789, 803, 813, 819, 833, 1245, 1261, 1271, 1279, 1287, 1385
*Saccharomyces paradoxus*, 803
*Salmonella typhimurium*, 17, 27, 731, 747
*Schizosaccharomyces pombe*, 41, 53, 769, 849
Selection
  decline in heterozygosity, full-sib and double first-cousin, *Drosophila melanogaster*, 1039
  DNA variation of 6-phosphogluconate dehydrogenase locus, evolutionary inferences, *Drosophila*, 155
  epistatic, Muller's ratchet, 1469
  geographical variation, quantitative character, 361
  inbred strains, polygenic mutation, *Drosophila melanogaster*, 937
  natural
    formation, tandem-repetitive noncoding DNA, 333
    synonymous codon usage, *Drosophila melanogaster*, 927
  temporally variable environment, fitness, flux and phantoms, 1481
Serine protease, domains within proenzyme polypeptide chain, *Drosophila snake* protease, 1355
Sex determination
  genes, molecular population genetics, *transformer* gene of *Drosophila melanogaster*, 1367
  *hermaphrodite*, *Drosophila melanogaster*, 195
  primary steps of sex chromosome evolution, *Megaselia scalaris*, 1097
  *Sex-lethal* mutations, differential effects, dosage compensation early in *Drosophila* development, 1051
Sex ratio
  genetic basis, *Silene alba*, 641
  polar decrease in recombination, meiotic mutants, *Caenorhabditis elegans*, 119
*Silene alba*, genetic basis of sex ratio, 641
Sister chromatids, precocious separation, meiotic homolog nondisjunction, yeast *med1* mutant, 65
Sodium channel, mutation, *Drosophila* olfactory mutant *smellblind*, 1087
Statistics
  analyzing mutational spectra, approaches, categorical data, 403
  mapping of quantitative trait loci, crosses between outbred lines, least squares, 1195
Sterility, *rf2* nuclear restorer, heritable transposon-induced mutant alleles, T-cytoplasm maize, 1171
Sturtevant, Alfred, mantle, art of chromosome mechanics, 707
Superoxide dismutase, positive selection, *Drosophila melanogaster*, 1329
Suppressors
  extragenic, negative regulator of *PRP* genes, yeast *prp4* mutations, 833
  generation and genetic analysis, lethal mutations, *Caenorhabditis elegans rol-3*(V) gene, 129
  mating-type limited zygotic lethal allele, uniparental chloroplast gene transmission, *Chlamydomonas monoica*, 867
  mutations that allow *HO* expression, absence, yeast *SWI5* transcriptional activator, 781
  two classes of glucose repression genes, yeast, 1271
Telomere, -plasmid segregation by X-telomere associated sequence, yeast, 757
Temperature, -sensitive folding mutants, coat protein, phage P22, 427
Thermotolerance, moderation and growth inhibition, Yak1 protein kinase, yeast, 465
Thioredoxin, homolog for female meiosis and early embryonic development, *Drosophila* maternal effect locus *deadhead*, 1075
Tomato, high resolution of QTL, multiple loci, interval mapping, 1447
Transcription, activator HAP1 in yeast, *TUP1/SSN6*, positive effect on activity, 813
Transgene, insertional mutation, mouse chromosome 18, vestibular and craniofacial abnormalities, 247
Transposable element
  *En*
    frequent loss, chromosome replication in maize, 653
    gene marker loss, maize, 1151
  large Tn*10*-catalyzed inversions, endpoint bias, *Salmonella typhimurium*, 747
  *Mutator*-induced deletions, genetic evidence, short arm of chromosome 9 of maize, 1143
Transposon
  -induced mutant alleles, *rf2* nuclear restorer, T-cytoplasm maize, 1171
  *P* element-mediated *in vivo* deletion analysis, *white-apricot*, *Drosophila*, 1001
  Robertson's *Mutator*, coordinate suppression of mutations, maize, 1157

Variance, genetic, change under selection, self-fertilizing population, 693

Yeast
  activator HAP1, *TUP1/SSN6*, positive effect on ac-

tivity, 813
altered −1 ribosomal frameshifting efficiencies, translational maintenance of frame, 75
artifical chromosome clone map, *Drosophila* genome, 1385
chromosome end, mosaic nature, influence on recombinatorial dynamics, 789
conditional phenotype, formamide sensitivity, 87
extragenic suppressors, *prp4* mutations, negative regulator of *PRP* genes, 833
fission, derepression of silent mating-type loci, mutations in *rik1/clr2/clr3/clr4* genes, 53
gene requirement, normal pheromone-induced cell polarization, 1287
genome, abundance, heterogeneous functional Ty*1* elements, 1245
glycogen-deficient *glc* mutants, 485
*grr1* mutants, glucose transport defect, altered regulatory responses, 1279
*HOP1* gene, insertional mutations, multimeric assembly in meiosis, 449
*med1* mutant, meiotic homolog nondisjunction, separation of sister chromatids, 65
mutations in *PDR3/PDR4/PDR7/PDR9* pleiotropic drug resistance loci, transcript level, *PDR5*, 505
pathogenic isolates, genetic characterization, 1261
pleiotropic phospholipid biosynthetic regulatory mutation, allelic to *sin3*, 475
*SPT10* and *SPT21* genes, 93
suppressors, two classes, glucose repression genes, 1271
*SWI5* transcriptional activator, absence of, suppressor mutations and *HO* expression, 781
telomere-plasmid segregation, X-telomere associated sequence, 757
uninducible expression of *HEM13*, allele of *HAP1*, 819
YAK1 protein kinase, thermotolerance, Sch9 protein kinase-independent mechanism, 465
Zebrafish, germline, efficient recovery, ENU-induced mutations, 1401
Zinc, *SPT10* and *SPT21* genes, yeast, 93